




**US TOOL**

[www.ustoolllc.com](http://www.ustoolllc.com)



# Engineer's Steel Bench Vices



## Description:

With an all steel construction, these fixed base vices are built to withstand the shocks of hammering, chipping and other tough application.

Integrated anvil for shaping & beating.

Forged Tommy Bars along with the steel main screw helps in effective transmission of pressure on the work piece.

Carbon steel jaws are hardened  $50 \pm 5$  HRC to withstand tough use and are serrated for non slip grip.

Used for hammering, chipping and other tough application.

## Specifications:

PART NUMBER	JAW WIDTH (mm)	JAW OPENING (mm)	NET WT. (kg)	MOQ
USTEF-100S	100	120	6.3	4
USTEF-150S	150	150	18.0	4
USTEF-200S	200	200	37.5	4
USTEF-250S	250	250	43.0	4
USTEF-300S	300	300	46.5	4
USTEF-375S	375	375	78.0	4

# Professional Mechanic's Bench Vices



## Specifications:

PART NUMBER	JAW WIDTH (mm)	JAW OPENING (mm)	NET WT. (kg)	MOQ
USTF-75	75	100	5.5	6
USTF-100	100	125	9.7	6
USTF-125	125	150	14.7	6
USTF-150	150	175	18.2	6
USTF-200	200	200	30.4	6

## Description:

Rigid & Robust Vices designed for smooth operation & Reliability

Manufactured from high quality grey iron castings very strong material with excellent shock absorbing capacity and immense strength under compression

Steel jaw are hardened  $45 \pm 5$  HRC for increased resistance to wear

Knurling on the jaw ensures a firm grip of the work piece

Perfect alignment of main screw & nut reduces wear giving long trouble free service

High tolerance machining. Smooth one finger operation

The unbreakable SG Iron nut securely locked in the body ensures max. thread surface contact and constant alignment between the body & the jaws

## Features:

TENSILE STRENGTH	NO HAMMERING
20,000 PSI (1400 KGF/cm <sup>2</sup> )	



## **US TOOL**

450, Pomfret Road, Hampton, Connecticut – 06247 U.S.A.  
Mobile No. : +18605766136 Email : info@ustoolllc.com

[www.ustoolllc.com](http://www.ustoolllc.com)

